

Date Shipment Needed:	Ship To: □Patient □Prescriber				
□Nursing needed; □Training needed ► All the supplies including syringes and needles will be dispensed if needed.					

Phone: 800.511.5144 • Fax: 877.541.1503

CROHN'S DIS	EASE AND ULCE	RATIVE COLITIS REFERRAL	_ FORM A-Q			
PATIENT INFORMATION						
Patient Name:	DOB:	Sex: □M □F □Other:		Weight:	□lbs. □kg.	
SSN: Phone:	Allergies:	·				
Address:		City: Sta	te:	Zip:		
Emergency Contact:	Phone:		dditional Inforr	nation Attached		
PRESCRIBER INFORMATION						
Prescriber:	NPI:	DEA:	State	Lic:		
Supervising Physician:	1	Practice Name:				
Address:		City: Sta	te:	Zip:		
Phone: Fax:		Key Office Contact:		Phone:		
DIAGNOSIS INFORMATION / MEDICAL ASSESSMENT						
Primary Diagnosis: (ICD-10 Code & Description) □K50.00	□K50.10 □K50.80 □	K50.90 Crohn's Disease ☐K51.9 Ulcera	ative Colitis Other	er:		
■ Has patient been treated <i>previously</i> for this condition? □Yes □	□No Is patient current	ly on therapy? □Yes □No Please list	medication(s) and	treatment duration:		
■ Will patient stop taking the above medication(s) before starting the new medication? □Yes □No If yes, how long should patient wait before starting the new medication?						
Other medications patient is currently taking including OTC med	lications with doorse and	direction (or fay modication profile):				
- Other medications patient is currently taking including OTC med	ilications with dosage and	rullection (or lax medication profile).				
 Has patient received a Quatiferon gold, Tspot or PPD (tubero 	ulosis) Skin Test?	es □No Date: Results	s: □Negative □P	ositive		
INSURANCE INFORMATION	,					
☐ Please attach front and back of patient's insurance ca	rd (medical and pres	scription)				
COPAY CARD ENROLLMENT						
☐ Please check if enrolling in copay card Copay	ID:					
PRESCRIPTION INFORMATION						
STC Standard Protocol will include the following: (1) dispensing	ordered med/dose, (2) of	liluent to mix and/or dilute dose, (3) flushes	s to flush line and a	anakit med (epinephrine	0.3 mg IM / 0.15	
mg IM (for pediatric patients) and diphenhydramine 50 mg/mL) and						
Cimzia® □200 mg/mL Prefilled Syringe □200 mg Vial *Prefilled Tyringe □200 mg Vial *Prefilled Tyring to the Cimzia Vial should be prepared and administered by a health care professional. Aca	Syringes will be dispensed if no ariaHealth will coordinate home of	preference indicated are with Cimplicity™ Program.		☐ Enroll in Cimplicity	r™ Program	
☐ Starter Dose: 400 mg SQ (2 inj. of 200 mg) initially at Week	0, repeat at Weeks 2 an	d 4		QTY: 1 starter kit (6 F	PFS) Refills: 0	
	□ Maintenance Dose: □ 400 mg SQ every 4 weeks □ 200 mg SQ every 2 weeks			QTY: 1 box (2 x 200 r		
Entyvio® □300 mg Vial □ MD's Office Infusion □Home Infusi	•					
☐ Starter Dose: 300 mg IV at Week 0, Week 2, Week 6				QTY: 3 vials	Refills: 0	
☐ Maintenance Dose: 300 mg IV every 8 weeks				QTY: 1 vial	Refills:	
Entyvio® □108mg Pen □108mg Syringe						
☐Maintenance Dose: 108 mg SQ once every 2 weeks (beginn	ning after at least 2 IV inf	usions; administer in place of next schedul	led IV dose and	QTY: 2 pens/syringes	Refills:	
then every 2 weeks thereafter)						
Humira® CF Starter Package 80 mg / 0.8 mL Pen NDC: 0074-		form for alternatives		□ Enroll in Humira C		
Starter Dose: Two 80 mg SQ inj. Day 1, one 80 mg SQ inj.		· D - 45		QTY: 3 pens	Refills: 0	
☐ One 80 mg SQ inj. Day 1, one 80 mg SQ inj.				QTY: 3 pens	Refills: 0	
Humira® CF	•	ige NDC: 0074-0243-02 See Biosimilar to	rm for alternatives		Defiller	
Maintenance Dose: ☐ One 40 mg SQ inj. Day 29 & every othe ☐ Alternate Dose:	er week trierearter			QTY: <u>2</u> QTY:	Refills: Refills:	
				Q11	roms	
Omvoh®				077/ 4 1 1/00 : :	D CII O	
☐ Starter Dose: 300mg vials: 300mg IV at weeks 0, 4, and 8	-11-40 #	Lucial a the conflict		QTY: 1 vial (28ds)	Refills: 2	
☐ Maintenance Dose: 100mg autoinjector: 200mg (2 injectors)	at week 12, then every 4	weeks thereafter		QTY: 1 pen (28ds)	Refills:	
Other:				QTY:	Refills:	

Physician's Signature: DAW (Dispense as Written)

Prescriber certifies that this referral form contains an original signature and is signed by the treating physician. NO STAMPED SIGNATURES WILL BE ACCEPTED. Where required by law, send prescription on official state prescription blank. In the event requested agent is not available through AcariaHealth, this prescription shall be forwarded to an eligible pharmacy.