

Date Shipment Needed:	Ship To: □Patient □Prescriber
□ Nursing needed; □ Training needed ► All the supplies including syringes a	and needles will be dispensed if needed.

Phone: 800.511.5144 • Fax: 877.541.1503

CROHN'S DISEASE AND ULCERATIVE COLITIS REFERRAL FORM U-Z

PATIENT INFORMATION	CROTIN 3 DISE	AGE AND GEGET	VATIVE COLITIO INLI	LINIAL I ONW	J-Z	
Patient Name:		DOB:	Sex: □M □F □O	ther:	Weight:	□lbs. □kg.
SSN:	Phone:	Allergies:	OCX.	uioi.	Worght.	□103. □1kg.
Address:	Filotie.	Allergies.	City:	State:	Zip:	
Emergency Contact:		Phone:	Oity.		nformation Attached	
<u> </u>	ION	Priorie.		Additional i	mormation Attached	
PRESCRIBER INFORMATI	UN	NPI:	l DE	١.	Otata Lia.	
Prescriber:		INPI:	DEA	4. [3	State Lic:	
Supervising Physician:			Practice Name:	Ctoto	7in:	
Address: Phone:	Fax:		City:	State:	Zip: Phone:	
	N / MEDICAL ASSESSMENT		Key Office Contact:		Priorie.	
	O Code & Description) □K50.00 □		(E0.00 Craha'a Diagona UKE	1.0 I llegrative Calitie [□Oth ari	
	reviously for this condition? \Box Yes \Box					
- Has patient been treated pr	eviously for this condition?	NO is patient currently	on merapy? — res — No r	riease list medication(s) and treatment duration.	
 Will patient stop taking the a 	above medication(s) before starting the	e new medication?	s No If ves. how long she	ould patient wait before	starting the new medication?)
				·		
 Other medications patient is 	s currently taking including OTC medic	ations with dosage and d	lirection (or fax medication prof	file):		
•	tiferon gold, Tspot or PPD (tubercu	losis) Skin Test? ∐Yes	□No Date:	Results: □Negative	e ∐Positive	
INSURANCE INFORMATION			1.41.			
	back of patient's insurance car	d (medical and presc	ription)			
COPAY CARD ENROLLME						
☐ Please check if enrolling		D:				
PRESCRIPTION INFORMA	TION					
	include the following: (1) dispensing of					
mg IM (for pediatric patients) an	d diphenhydramine 50 mg/mL) and (4) premeds to take 30 min	ns before orally (Apap 325 mg,	may repeat x1, and dip	ohenhydramine 25 mg, may i	repeat x1).
□ Velsipity 2mg tablet					OTT / OO	D 61
☐ take 1 tablet (2mg) by r	•				QTY: <u>30</u>	Refils:
☐ Xeljanz® Starter Dose 10 m	•					5 60 4
☐Starter dose: 1 tablet P0	O twice daily for 8 weeks				QTY: <u>60</u>	Refills: 1
Other	□V-1'				QTY:	Refills:
•	☐ Xeljanz® 10 mg Oral Tablet				OTV: 60	Refills:
☐ Maintenance Dose: 1 to☐ Other	ablet PO twice daily				QTY: <u>60</u> QTY:	Refills:
☐ Xeljanz XR® Starter Dose 2	22 mg Oral Tablet				_ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	11011113
Starter Dose: 1 tablet P	_				QTY: <u>30</u>	Refills: 1
□ Other:	O office daily for a weeks				QTY:	Refills:
	blet ☐ Xeljanz XR® 22 mg Oral Ta	blet				
☐ Maintenance Dose: 1 ta		biot			QTY: <u>30</u>	Refills:
□Other:					QTY:	Refills:
☐Zeposia® Oral capsules						
Directions: Days 1-4: 0.23mg I	by mouth once daily, Days 5-7: 0.46	img by mouth once dail	y Day 8 and thereafter: 0.92	mg by mouth once da	ily	
□New Patient: Zeposia st	tarter kit (7 day starter pack followed b	y 30 day supply)			QTY: 1 Kit (37 capsu	
☐ Patients restarting: 7-d	ay titration				QTY: 1 Kit (7 capsule	
☐ Maintenance Dose: 0.9	2 mg by mouth once daily				QTY:	Refills:
□ Other:					QTY:	Refills:

Physician's Signature:	□ DAW (Dispense as Written)	Date:	
Prescriber certifies that this referral form contains an original signature and is signed by the treating physician. NO STAMPED SIG	NATURES WIL	L BE ACCEPTED. Where	required by law, send p	rescription on official state
prescription blank. In the event requested agent is not available through AcariaHealth, this prescription shall be forwarded to an el	ligible pharma	cy.		