Date Shipment Needed:	Ship To: □Patient □Prescriber
□ Nursing needed; □Training needed ► All the supplies incl	uding syringes and needles will be dispensed if needed.

SEROSTIM REFERRAL FORM

PATIENT INFORMATION									
Patient Name:		DOB:		Sex: □M □F	Weight:		□lbs. □kg.		
SSN: Phone:	Allergies			COX: CIVI CI	TVV OIGHT.		a ibo: a kg.		
Address:	, morgioo	City:		State:		Zip:			
	Phone:	Oity.			attach de	mographic informat	tion		
PRESCRIBER INFORMATION	T HOHO:				attaon ao	mograpino iniorina			
Prescriber:	NPI:		DEA:		State L	ic:			
Supervising Physician:		Practice N	lame:						
Address:		City:		State:		Zip:			
Phone: Fax:		Key Office	e Contact:		Phone:				
DIAGNOSIS INFORMATION / MEDICAL ASSESMENT									
Primary Diagnosis: (ICD-10 Code & Description)									
■ □HIV with wasting or cachexia (concomitant antirviral therapy is necessary) □Other:									
Lean body mass (by BIA) kg Fat mass (by DXA) kg									
■ Has patient been treated <i>previously</i> for this condition? □Yes □No Medication(s):									
■ Is patient currently on therapy? □Yes □No Medication(s):									
■ Will patient stop taking the above medication(s) before starting the new medication? □Yes □No If yes:									
Will patient stop taking the above medication(s) before starting the new medication? How long should patient wait before starting the new medication?									
Other medications patient is currently taking including OTC medications with dosage and direction (or fax medication profile):									
INSURANCE INFORMATION									
□ Please attach front and back of patient's insurance card (medical and prescription)									
COPAY CARD ENROLLMENT									
□ Please check if enrolling in copay card Copay ID:									
PRESCRIPTION INFORMATION									
Correction N. C.		, "				OTV	Defile		
□Serostim Note: Serostim "every other day" injection should be considered in patients at incre □4 mg/vial with sterile water for injection, USP	easea risk to	r aαverse eπec	related to recomb	inant numan GH		QTY:	Refills:		
□ 5 mg/vial with sterile water for injection, USP									
□6 mg/vial with sterile water for injection, USP									
*Each vial of Serostim to be reconstituted with 0.5 to 1 mL of sterile water for injection, USP as di	rected by ph	ysician							
Daily dose based on patient's weight:									
□> than 55 kg (greater than 121 lb.), 6 mg SQ daily						QTY: 28 day supply	Refills:		
□45-55 kg (99-121 lb.), 5 mg SQ daily						QTY: 28 day supply			
□35-45 kg (75-99 lb.), 4 mg SQ daily						QTY: 28 day supply			
□< 35 kg (< 75 lb.), 0.1 mg/kg SQ daily						QTY: 28 day supply			
□Other:						QTY:	Refills:		
There are no safety and efficacy data available from controlled studies on continuous treatment for	or more than	48 weeks or in	ermittent treatmen	t					

Prescriber's Signature: DAW (Dispense as Written)

Prescriber certifies that this referral form contains an original signature and is signed by the treating prescriber. NO STAMPED SIGNATURES WILL BE ACCEPTED. Where required by law, send prescription on official state prescription blank. In the event requested agent is not available through the receiving pharmacy, this prescription shall be forwarded to an eligible pharmacy.